

Dongfeng Cummins Technical Operations

Engine Model: QSZ13-G5

Curve and Datasheet: FR20378

Rev03 2016.4



Generator Engine Performance Data

Dongfeng Cummins Engine Co.,Ltd Xiangyang, Hubei Province, China

Engine Model

Curve Number CPL Code

3837

QSZ13-G5

Engine Configuration: D0C3004GX03 Fuel System: HPCR

Aspiration: Turbocharged & Charge Air Cooled

FR20378

Governor Regulation: ≤1%

Emission Certification: Euro StageII/EPA Tier II

Engine Ratings*:

ı							
Engine Speed Standby Power		Prime Power		Continuous Power			
	r/min	bhp	kWm	bhp	kWm	bhp	kWm
	1500	629	470	550	411	495	370
	1800	670	500	585	437	526	393

All ratings refer to AEB26.02.

Compression Ratio: 17:1


Cylinders: 6

Displacement: 13.0 L


Bore: 130 mm

Stroke: 163 mm

Engine Fuel Consumption @1500 r/min						
OUTPUT POWER			FUEL CONSUMPTION			
%	bhp	kWm	lb/bhp.h	g/kWm.h	gal/h	l/h
Standby	Standby Power					
100	629	470	0.322	196	28.3	107.1
Prime Po	wer					·
100	550	411	0.321	195	24.6	93.2
75	413	308	0.321	195	18.4	69.9
50	275	206	0.337	205	12.9	49.0
25	138	103	0.401	244	7.7	29.2
continuo	continuous Power					
100	495	370	0.321	195	22.1	83.9




Engine Fuel Consumption @1800 r/min							
OUTPUT POWER			FL	FUEL CONSUMPTION			
%	bhp	kWm	lb/bhp.h	g/kWm.h	gal/h	l/h	
Standby	Standby Power						
100	670	500	0.331	201	30.8	116.9	
Prime Power							
100	585	437	0.331	201	26.9	102.1	
75	439	328	0.331	201	20.2	76.6	
50	293	219	0.336	204	13.7	51.8	
25	146	109	0.444	270	9.0	34.3	
Continuous Power							
100	526	393	0.331	201	24.2	91.9	



Curves shown above represent gross engine performance capabilities obtained and corrected in accordance with GB/T18297 conditions of 29.61 in Hg (100 kPa) barometric pressure [263 ft (80 m) altitude], 77 deg F (25 deg C) inlet air temperature, and 0.30 in Hg (1 kPa) water vapor pressure with No. 2 diesel fuel.

All data obtained is based on the engine operating, under the test conditions of 14.9 in H2O (3.7kPa) inlet air restriction and 2.95 in Hg (10 kPa) exhaust restriction, not included are alternator, fan, optional equipment and driven components. The engine may be operated up to 5200 m (17,060 ft.) altitude.

1





Generator Engine Performance Data

Dongfeng Cummins Engine Co.,Ltd Xiangyang, Hubei Province, China

Engine Mod	el

QSZ13-G5

Curve Number

FR20378

CPL Code 3837

GENERAL ENGINE DATA

GENERAL ENGINE DATA	. C Oulling along
Type: Four cycle; Inline	•
Aspiration:	•
Compression Ratio:	
Fire Order:	1-5-3-6-2-4
Bore x Stroke:	130 x 163
Displacement: L	13.0
Low Idle Speed:r/min	700
Maximum altitude for continuous operation: m	5200
Approximate Engine Weight - Dry:	1245
Approximate Engine Weight - Wet: kg	1310
Center of Gravity from front face of block: mm	519
Center of Gravity above crankshaft centerline: mm	201
Rotation inertia of Complete Engine (without flywheel): kg.m²	1.48
ENGINE MOUNTING	
Maximum static mounting surface bending moment	
Rear face of block:	1356
Maximum static bending moment of FAN: N.m	21
Maximum allowable weight on Engine Support: kg	1500
AIR INDUCTION SYSTEM	
Whole air intake pipe size (recommendatory): mm	200
Charge air cooler pipe size (recommendatory): mm	115
Maximum temperature rise between ambient air and engine air inlet: °C	11.1
Maximum Temp. Rise Between Engine Air Intake and Intake Manifold: °C	30
Maximum Intake Manifold Temperature (unable to result in power loss at sea level):	
- ℃	60*
Maximum Intake Manifold Temperature for Engine Protection: °C	85
Maximum intake air restriction (heavy duty air cleaner):	
clean filter: kPa	3.2
dirty filter: kPa	6.2
Maximum allowable pressure drop across charge air cooler and OEM CAC	
piping (CACDP): kPa	13
L.L 2 ().	. •
EXHAUST SYSTEM	
Max. back pressure imposed by complete exhaust system: kPa	13
Maximum allowable static bending moment at exhaust outlet flange: N.m	19
Exhaust pipe size (recommendatory):	130
Exhiaust pipe size (reconfinitentiatory) Illill	130

^{*}When excess the temperature.the durablity/reliability/performance of the engine maybe impaired.



Generator Engine Performance Data
Dongfeng Cummins Engine Co.,Ltd
Xiangyang, Hubei Province, China

Engine Model	Curve Number		
OSZ13-G5	FR20378		

CPL Code

Adding the strice, similar		
LUBRICATION SYSTEM		
Oil pressure @ idle - minimum:	kPa	82.7
Typical oil pressure range - warm engine:		207 - 300
Total system capacity (standard pan):		75.33
Maximum lube oil flow to all accessories:		7.57
COOLING SYSTEM		
Coolant Capacity (Engine Only):		23.1
Engine coolant circuit thermostat opening temperature:		82
Engine coolant circuit thermostat fully open temperature:		94
Maximum coolant temperature - engine out:		102
Minimum operating block coolant temperature:		71
Maximum coolant temperature for engine protection controls:	℃	107
Maximum coolant pressure(exclusive of pressure cap; closed thermostat		
at maximum no load speed):		407
Minimum pressure cap rating at sea level:		103
Maximum Coolant Friction Head External to Engine:	kPa	75
Maximum deaeration time:		25
Minimum fill rate (low level alarm required for most engines):	L/min	19
Maximum coolant expansion space (% total system capacity):	%	10
Minimum coolant expansion space (% total system capacity):	%	6
FUEL SYSTEM		
Maximum allowable restriction @ OEM point with maximum fuel flow:	kPa	13.5
Maximum fuel drain restriction (total head) before (or without) check valve:		27
Minimum fuel tank venting requirement:		0.2
Maximum fuel inlet temperature:		71
Maximum heat rejection to return fuel		5.36
Maximum design fuel flow:		204
	3	
ELECTRICAL SYSTEM		
System voltage:	<u>V</u>	24
Minimum battery capacity-cold soak at -18 C (0 F) or above		
Engine only cold cranking amperes:		900
Engine only reserve capacity:	min	270
COLD START CAPABILITY		
Minimum ambient temperature for unaided cold start:		-15
Minimum ambient temperature with Intake Air Heater(engine no load):	°C	-30
Exhaust Emissions Data	500 / :	4000 / 1
· ·		1800 r/min
- Weight-Specific Nox: g/kW.l		5.620
- Weight-Specific HC: g/kW.f		0.130
- Weight-Specific CO: g/kW.f		0.570
- Weight-Specific Particulates: g/kW.l	n 0.020	0.034



Generator Engine Performance Data	Engine Model	Curve Number	CPL Code
Dongfeng Cummins Engine Co.,Ltd Xiangyang Hubei Province China	QSZ13-G5	FR20378	3837

Performance Data

All data is based on:

Test Condition:

Engine operating with fuel system, water pump, lubricating oil pump and air cleaner; not included are alternator, fan, and optional equipment and driven

components.

GB18297 Engine test code - Performance
Barometric Pressure : 100 kPa (29.53 in Hg)

• Air Temperature: 25 °C (77 °F)

Altitude: 80 m (263 ft)Relative Humidity: 50%

Steady State Stability Band at any constant load (+/-):

Standby Power | Prime Power

5%

		Standby	/ Power	Prime	rowei
Engine Speed	r/min	1500	1800	1500	1800
Gross Engine PowerOutput	kWm	470	500	411	437
Torque:	N.m	2992	2653	2617	2319
Brake Mean EffectivePressure	kPa	2892	2564	2529	2241
Piston Speed	m/s	8.15	9.78	8.15	9.78
Friction Horsepower	kW	31	45	31	45
Coolant Flow	L/min	405	475	405	475
Fuel Consumption	kg/h	92.1	100.5	80.1	87.8
Engine Data					
Intake Air Flow	m³/min.	29.5	35.5	27.8	34.9
Exhaust Gas Temp - DryStack	°C	523	476	485	458
Exhaust Gas Flow	kg/min.	36.4	43.5	34.1	42.6
Air to Fuel ratio		22.7	25.0	24.6	28.1
Heat Rejection to Ambient	kW	76	81	67	71
Heat Rejection to JacketCoolant	kW	171	188	154	172
Heat Rejection to Exhaust	kW	406	432	355	378
Heat Rejection to Fuel*	kW	5	5	5	5
ATA CAC					
Heat Rejection to Aftercooler	kW	99	122	83	110
TurbochargerCompressor Outlet	kPa	282	291	254	275
Charge Air Flow	kg/min	34.9	41.9	32.8	41.2
TurbochargerCompressor Outlet	°C	223	221	203	212

^{*}This is the maxiumum heat rejection, not specified to the load listed.



Generator Engine Performance Data


Dongfeng Cummins Engine Co.,Ltd Xiangyang, Hubei Province, China


Engine	Model

QSZ13-G5



3837







Generator Engine Performance DataEngine ModelCurve NumberCPL CodeDongfeng Cummins Engine Co.,Ltd
Xiangyang, Hubei Province, ChinaQSZ13-G5FR203783837

STANDBY POWER RATING is applicable for supplying emergency power for the duration of the utility power outage. No overload capability is available for this rating. Under no condition is an engine allowed to operate in parallel with the public utility at the Standby Power rating.

This rating should be applied where reliable utility power is available. A standby rated engine should be sized for a maximum of an 80% average load factor and 200 hours of operation per year. This includes less than 25 hours per year at the Standby Power rating. Standby ratings should never be applied except in true emergency power outages. Negotiated power outages contracted with a utility company are not considered an emergency.

CONTINUOUS POWER RATING is applicable for supplying utility power at a constant 100% load for an unlimited number of hours per year. No overload capability is available for this rating.

PRIME POWER RATING is applicable for supplying electric power in lieu of commercially purchased power. Prime Power applications must be in the form of one of the following two categories:

UNLIMITED TIME RUNNING PRIME POWER

Prime Power is available for an unlimited number of hours per year in a variable load application. Variable load should not exceed a 70% average of the Prime Power rating during any operating period of 250 hours.

The total operating time at 100% Prime Power shall not exceed 500 hours per year.

A 10% overload capability is available for a period of 1 hour within a 12 hour period of operation. Total operating time at the 10% overload power shall not exceed 25 hours per year.

LIMITED TIME RUNNING PRIME POWER

Prime Power is available for a limited number of hours in a non-variable load application. It is intended for use in situations where power outages are contracted, such as in utility power curtailment. Engines may be operated in parallel to the public utility up to 750 hours per year at power levels never to exceed the Prime Power rating. The customer should be aware, however, that the life of any engine will be reduced by this constant high load operation. Any operation exceeding 750 hours per year at the Prime Power rating should use the Continuous Power rating.

Dongfeng Cummins Engine Co.,Ltd Automobile Industry Development Zone, Xiangyang, Hubei Province China 441004

Tel: 86-710-3399100 Fax: 86-710-3392893

End 7